DIFFERENTIABLE MANIFOLDS, SEPTEMBER 2010 TMS EXAM

SEPTEMBER 24, 2010

- **8** 1.a) Let $\omega = (xy) \ dx \wedge dy$, a 2-form on \mathbb{R}^2 , and $f : \mathbb{R}^3 \to \mathbb{R}^2$ be given by $f(r, s, t) = (r ts, r^2s + t)$. Calculate $f^*(\omega)$, the pullback of ω by f.
- 1.b) Consider the vector field on the plane $X = 2x \frac{\partial}{\partial x} xy \frac{\partial}{\partial y}.$

Calculate X(g) for any smooth function $g: \mathbb{R}^2 \to \mathbb{R}$.


- ? 1.c) Recall that $H^2_{DR}(S^2) = \mathbb{R}$, which is spanned by the volume form $\omega = x \, dy \wedge dz y \, dx \wedge dz + z \, dx \wedge dy$. Using the fact that $H^1_{DR}(S^2) = 0$, show that ω cannot be written as a product of two one-forms $\omega = \alpha \wedge \beta$, which are both closed.
- 2.a) Let ω be the 1-form on $\mathbb{R}^3 \{(x, y, z) \mid x^2 + y^2 1 = 0, z = 0\}$ given by $\omega = \frac{1}{2\pi} \frac{z \ d(x^2 + y^2 1) (x^2 + y^2 1) \ dz}{((x^2 + y^2 1)^2 + z^2)^{1/2}}.$

Show that ω is closed.

2.b) Calculate the integral of ω over the circles shown in the figure below. $C_1 = \{(x, y, z) \in \mathbb{R}^3 \mid z = 2, x^2 + y^2 = 1\}.$

$$C_1 = \{(x, y, z) \in \mathbb{R}^3 \mid z = 2, \ x^2 + y^2 = 1\},$$

 $C_2 = \{(x, y, z) \in \mathbb{R}^3 \mid x = 0, \ (y - 1)^2 + z^2 = 1\}.$



- 3.a) Prove that the subset $C = \{(x,y) \in \mathbb{R}^2 \mid y^2 = x(x-1)(x+1)\}$ is a smooth manifold by showing that $0 \in \mathbb{R}$ is a regular value for the function $f: \mathbb{R}^2 \to \mathbb{R}$, $f(x,y) = y^2 x(x-1)(x+1)$. What is its dimension? Describe its tangent space at any point $(a,b) \in C$.
- **3.b**) Similar to the Part (a) show that the unit sphere $S^2 \in \mathbb{R}^3$ is a smooth manifold of dimension two. Determine its tangent space at any point $(a, b, c) \in S^2$.
 - 4) A one-form α on \mathbb{R}^3 is called a contact form if it satisfies $(\alpha \wedge d\alpha)(p)(e_1,e_2,e_3) > 0$ at any point $p \in \mathbb{R}^3$, where e_i , i=1,2,3, are the standard basis vectors in $T_p\mathbb{R}^3 \simeq \mathbb{R}^3$.

A) Show that the one form $\alpha = x \, dy + dz$ is a contact form on \mathbb{R}^3 .

b) Let $f: \mathbb{R}^3 \to \mathbb{R}^3$ be a map given by $f(x,y,z) = (a_1x + b, a_2y, a_3z),$ where $a_1, a_2, a_3, b \in \mathbb{R}$, are some constants. Find necessary and sufficient conditions on these constants so that $f^*(\alpha) = \alpha$.

 $\stackrel{\textstyle \frown}{\sim}$ c) Show that a closed one-form ω on \mathbb{R}^3 cannot be a contact form.